GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – Water Resources Dept., - Case under the Prevention of Corruption Act, 1988 for the allegation of demand and acceptance of bribe against Sri B. Vijaya Kumar, Technical Officer O/o Executive Engineer, Irrigation Division, Visakhapatnam – Trapped on 24.07.2014- now under suspension – Suspension Reviewed – Re-instatement into Service – Orders – Issued.

WATER RESOURCES [VIG.I] DEPARTMENT

G.O.RT.No. 233 Dated: 31-03-2016

Read the following:

1. G.O.Ms.No.86, G.A.[Ser.C] Dept., dt.08.03.1994.
2. G.O.Ms.No.526, , G.A.[Ser.C] Dept., dt19.08.2008.
3. Radio Message received from Sri M.V. Ganesh, Inspector, ACB, Visakhapatnam Range,dt.4.8.2014.
4. Proceedings No.21C/SE/IC/VSP/AB/EC-2, dt.28.7.2014 of Superintending Engineer, I&CAD, Irrigation Circle, Visakhapatnam.

@@@

ORDER:-

In the reference 3rd read above, the Inspector, Anti-Corruption Bureau, Visakhapatnam Range, has informed that the Accused Officer, Boddapalli Vijaya Kumar, Technical Officer, O/o the Executive Engineer, Irrigation Division, Visakhapatnam was sent to the Judicial custody on 25.07.2014 by the Hon'ble Court of III ADJ for SPE & ACB Cases, Visakhapatnam and the Accused Officer was released on condition bail on 02.08.2014. Subsequently, the Accused Officer was placed under suspension by the Superintending Engineer, I&CAD, Irrigation Circle, Visakhapatnam-2 in the reference 4th read above.

2. Government, after careful examination of the matter have reviewed the case of suspension of the Accused Officer, Sri B. Vijaya Kumar, Technical Officer O/o Executive Engineer, Irrigation Division, Visakhapatnam (U/s) during the review of the suspension cases held on 30.01.2016 in terms of G.Os 1st and 2nd read above, and decided to reinstate him into service without prejudice to the disciplinary / criminal proceedings pending against him as the final report of the Director General, Anti-Corruption Bureau, A.P., Hyderabad is received.

3. Accordingly, in exercise of the powers conferred by clause (c) of sub-rule (5) of Rule-8 of A.P.C.S.(CC&A) Rules, 1991, Government hereby revoke the said orders of suspension of Sri B. Vijaya Kumar, Technical Officer O/o Executive Engineer, Irrigation Division, Visakhapatnam District and reinstate him into service without prejudice to the disciplinary / criminal proceedings pending against him and he shall be posted to far off non focal place.

[PTO]

4. The Engineer-in-Chief [AW], Water Resources Dept., shall take further action accordingly and to issue posting orders to the individual forthwith.

[BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH]

ADITYA NATH DAS
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri B. Vijaya Kumar, Technical Officer
O/o Executive Engineer, Irrigation Division,
Visakhapatnam (**through** the Engineer-in-Chief [AW],
Water Resource Dept., Hyderabad)
The Engineer-in-Chief [AW],
Water Resources Dept., Hyderabad.

Copy to:-
The Director General, Anti-Corruption Bureau,
AP, Hyderabad.
The A.P. Vigilance Commission, AP., Hyderabad.
The Water Resources [Ser.III] Dept., A.P. Secretariat.
Sc/Sf.

// FORWARDED BY ORDER //

SECTION OFFICER